

Digicode authentication : User Guide

Introduction

There is no direct use of this component, except the ability to a user for performance reasons, to connect to Moodle via standard login and password replaced by a digicode, to arrive directly on an internal page of moodle and under his identity.

use case

A Moodle platform with high but punctual load peaks, requiring a very high number of simultaneous connection.

Rendu



Configuration

Access

Site administration/plugins/authentication/digicode access

Active

yes/no: No default. When enabled, the users can use their short digicode for quick access to moodle.

enable password expiry

Allow passwords to expire after a specified time.

Instructions

Instructions optionnelles affichées sous la mire de connexion

Restriction type

The type of target for the restriction

- None
- user profile field
- Capability on context
- Role in context

Restriction context

Context in which restriction is applied : The context of the restriction where the criteria will be evaluated on

- Site
- Course
- User

Restriction value or filter

A value or filter expression to restrict digicode allowed users

Digicode access settings

This method is like manual account, but using a very simple and lightweight authentication check to speed up boot time.

Enabled auth_digicode | enabled
Default: No
When enabled, the users can use their short digicode for quick access to moodle.

Enable password expiry auth_digicode | expiration
Default: 60 minutes
Allow passwords to expire after a specified time.

Instructions auth_digicode | instructions
Default: Empty
Some instructions to help student in the process

Restriction type auth_digicode | restrictiontype
The type of target for the restriction

Restriction context auth_digicode | restrictioncontext
The context of the restriction (where the criteria will be evaluated on)

Restriction target id auth_digicode | restrictionid
Default: Empty
the item shortname (role, capability, or profilefield name)

Restriction value or filter auth_digicode | restrictionvalue
Default: Empty
A value or filter expression to restrict digicode allowed users

Credits

- Valéry Frémaux (valery@activeprolearn.com)) Development
- Florence Labord (florence@activeprolearn.com) Documentation

[Back to the component index](#) - [Plugins index](#) - [Back to catalogue](#)

From:

<https://docsen.activeprolearn.com/> - **Documentation Moodle ActiveProLearn**

Permanent link:

<https://docsen.activeprolearn.com/doku.php?id=auth:digicode:userguide&rev=1520792051>

Last update: **2026/01/13 07:58**

