



Digicode authentication : User Guide

Introduction

There is no direct use of this component, except the ability to a user for performance reasons, to connect to Moodle via standard login and password replaced by a digicode, to arrive directly on an internal page of moodle and under his identity.

use case

A Moodle platform with high but punctual load peaks, requiring a very high number of simultaneous connection.

Login page

Username:

0	9	2	4	7
1	5	3	8	6

Profiling

Your exam will take place the 4th of June. Your access is granted for 60 (sixty) minutes only.

Other users

Configuration

Access

Site administration/plugins/authentication/digicode access

Active

yes/no: No default. When enabled, the users can use their short digicode for quick access to moodle.

enable password expiry

Allow passwords to expire after a specified time.

Instructions

Instructions optionnelles affichées sous la mire de connexion

Restriction type

The type of target for the restriction

- None
- user profile field
- Capability on context
- Role in context

Restriction context

Context in wich restriction is applied : The context of the restriction where the criteria will be evaluated on

- Site
- Course
- User

Restriction value or filter

A value or filter expression to restrict digicode allowed users

Digicode access settings

This method is like manual account, but using a very simple and lightweight authentication check to speed up boot time.

Enabled Yes No

Default: No
When enabled, the users can use their short digicode for quick access to moodle.

Enable password expiry 60 minutes 120 minutes 180 minutes 240 minutes 300 minutes 360 minutes 420 minutes 480 minutes 540 minutes 600 minutes 660 minutes 720 minutes 780 minutes 840 minutes 900 minutes 960 minutes 1020 minutes 1080 minutes 1140 minutes 1200 minutes

Default: 60 minutes
Allow passwords to expire after a specified time.

Instructions

Default: Empty
Some instructions to help student in the process

Restriction type Capability on context Role Profile field

The type of target for the restriction

Restriction context User Course Module Section Item Item instance

The context of the restriction (where the criteria will be evaluated on)

Restriction target id

Default: Empty
the item shortname (role, capability, or profilefield name)

Restriction value or filter

Default: Empty
A value or filter expression to restrict digicode allowed users

Credits

- Valéry Frémaux (valery@activeprolearn.com)) Development
- Florence Labord (florence@activeprolearn.com) Documentation

[Back to the component index](#) - [Plugins index](#) - [Back to catalogue](#)

From: <https://docsen.activeprolearn.com/> - Moodle ActiveProLearn Documentation

Permanent link: <https://docsen.activeprolearn.com/doku.php?id=auth:digicode:userguide&rev=1520792505>

Last update: 2024/04/04 15:50

