Digicode authentication : User Guide


Introduction

There is no direct use of this component, except the ability to a user for performance reasons, to connect to Moodle via standard login and password replaced by a digicode, to arrive directly on an internal page of moodle and under his identity.

use case

A Moodle platform with high but punctual load peaks, requiring a very high number of simultaneous connection.

Login page



Configuration

Access

Site administration/plugins/authentication/digicode access

lenght

Default : 4 The digicode length. Affects future generations (not currently stored digicodes).

generation pre-delay

default : 72 The backwards delay (in hours) the digicode generation task will be launched before an access session.

Enable password expiry

Allow passwords to expire after a specified time.

Instructions

Instructions optionnelles affichées sous la mire de connexion

Restriction type

The type of target for the restriction

- None
- user profile field
- Capability on context
- Role in context


Restriction context

Context in wich restriction is applied : The context of the restriction where the criteria will be evaluated on

- Site
- Course
- User

Restriction value or filter

A value or filter expression to restrict digicode allowed users



Credits

- Valéry Frémaux (valery@activeprolearn.com)) Development
- Florence Labord (florence@activeprolearn.com) Documentation

Back to the component index- Plugins index - Back to catalogue

From:
https://docsen.activeprolearn.com/ - **Documentation Moodle ActiveProLearn**

Permanent link:
https://docsen.activeprolearn.com/doku.php?id=auth:digicode:userguide&rev=1586250691

Last update: **2026/01/13 08:58**