

User Synchronisation Configuration

ENT Installer: Data Synchronisation by ENTs





Activation

Specific switch to enable user account synchronisation. If this box is not ticked, no synchronisation will be done on users by any action whatsoever (CLI, cron, or manual)

Generic accounts discriminator

Generic accounts have no functional particularities. No particular set-up other than creating the user account will be performed.

Institution filter for generic accounts


The institution filter is the portion of filter added to the general filter to select a slice of the directory when it is a federated directory of several educational institutions.

Student discriminator

Creating students can be followed by student-specific post-processing (class assignment, assignment to the general student cohort).

Institution filter for students

The institution filter is the portion of filter added to the general filter to select a slice of the directory when it is a federated directory of several educational institutions.



Teacher discriminator

Creating teachers can be followed by post-processing specific to teaching staff (creation of their own category, assignment to the general teacher cohort).

Institution filter for teachers

The institution filter is the portion of filter added to the general filter to select a slice of the directory when it is a federated directory of several educational institutions.

Administrative (non-teaching) staff discriminator

Creating non-teaching staff can be followed by post-processing specific to this category of staff


(assignment to the general non-teaching staff cohort).

Institution filter for administrative (non-teaching) staff

The institution filter is the portion of filter added to the general filter to select a slice of the directory when it is a federated directory of several educational institutions.

Site administrators discriminator

Site administrators are designated at the end of processing as Moodle administrators.



Institution filter for site administrators

The institution filter is the portion of filter added to the general filter to select a slice of the directory when it is a federated directory of several educational institutions.

Institution aliasing

Institutions can be known by their INE (National Institution Identification) or an alias, when it is a school complex grouping several INEs within the same physical student reception structure. The alias must be used if the directory identifies user DNs on the school complex alias and not on their individual institution INE.

Class field (class cohorts)


LDAP name of the field carrying the class information (National Education use).

Class extractor

A regular expression with at least one capture sub-pattern to extract the cohort/class identifier. By default, the catch-all pattern '(.*)' will be specified.

Boarding status field (ENT)

The SDET field containing the boarding status information (boarder, day pupil, half-boarder) (National Education, SDET V4.0).



Boarding status extractor (ENT)

A regular expression with at least one capture sub-pattern to extract the boarding status information. By default, the catch-all pattern '(.*)' will be specified.

Transport mode field (ENT)

The SDET field containing the transport mode information (National Education, SDET V4.0).

Transport mode extractor (ENT)


A regular expression with at least one capture sub-pattern to extract the transport mode. By default, the catch-all pattern '(.*)' will be specified.

Adult student field (ENT)

The SDET field containing the adult status information (National Education, SDET V4.0).

Adult student extractor (ENT)

A regular expression with at least one capture sub-pattern to extract the adult status information. By default, the catch-all pattern '(.*)' will be specified.



Avatar filter

A regular expression with at least one sub-pattern to extract an avatar image identifier (class photo directory) from the user DN.

Avatar URL pattern

A text expression to form the avatar (class photo directory) retrieval URL. The portion captured by the previous filter is inserted in the place marked %PICTURE%. For retrieval to be possible, both fields must be filled in and the avatar URL must lead to an image accessible to the synchroniser process.

Additional fields to collect (ENT)

The full list of fields to retrieve from LDAP (for specific ENT implementations).

Back to the technical guide index - Back to the component index - Back to the plugin index - Back to the catalog

From:
https://docsen.activeprolearn.com/ - **Documentation Moodle ActiveProLearn**

Permanent link:
https://docsen.activeprolearn.com/doku.php?id=local:entinstaller:entity:users

Last update: **2026/11/13 21:59**