



## Cues descriptor file format

### MPlayer Module

Cues are moments in the video timeline where an action can be triggered.

The MPlayer module parses a Cue description file as a flat text file with one cue information per line as follows.

A cue has four information:

- **The cue action timestamp:** Specifies the time when the event fires calculated from the start of the clip. It is formatted as a hour:minutes:seconds expression.
- **the action URL:** What URL to open when event fires.
- **Resume mode:** What has to be done when user closes the action event popup. Usual actions are : “nothing”, “reset” or “continue”.
- **Optional:** This informs the user that processing the required event is expected as a mandatory option or optional. (Experimental. At the moment is informative, but may have functional impact such as popup modality).

### In discussion

Experimentations are investigating in accepting a first additional information that would be:

- **the clip index:** Points to the clip the cue is defined for.

In that perspective, cues may be provided as a single file for all clips and not as a clip per clip file.

### Cues file sample

```
00:12:00|http://my.moodle.com/mod/quiz/view?id=144|continue|mandatory
00:24:00|http://my.moodle.com/mod/glossary/view?id=122|continue|optional
```

The file should be UTF-8 encoded.

[Return to the flowplayer user guide](#)

From:

<https://docsen.activeprolearn.com/> - **Moodle ActiveProLearn Documentation**

Permanent link:

<https://docsen.activeprolearn.com/doku.php?id=mod:mplayer:format:cues>

Last update: **2024/04/04 15:50**

