

Overriding core limitations : how to handle it the right way

A bit of theory

When talking about managing an open-source technology integration, there are a ton of debates about “to do” or “no to do” adaptations to the code. Many of the exposed reasons often fall into a dogmatic discourse, the originating motivation is understandable : the lack of architectural mastering that set many of the moodle administrators and technical crew in a “black box” situation, i.e., having between hands an “opaque thing” we do not really know how it works. But if we respect the given rules, it should work.

All is about trouble of the technical crew assigned to making moodle work.

Directly opposed to this “prudent” way of managing the platform lifecycle, is usage and requirement for doing “better”, “clearer”, more “user friendly” user experience. Often this view sticks on core limitations, i.e., unforecasted consequences of code design, unexpected or not imagined uses cases, etc. Moodle has a LOT of tuning and overriding possibilities and techniques, thus those cases of hanging on a “really tricky override case” are few.

The purpose of this chapter is to demonstrate that locking on a Moodle Intrinsic limitation is not a pure fatality. All depends on a fair evaluation of the balance between Maintenance Trouble amount vs. Usage Benefice. Most of the reluctance factors to accept core overrides are measured by the “factor of Trouble occasionned for Moodle tech maintainers crew’.

We propose further some theoretical approach of the concern:

First will we propose a theoretical definition of the “Technical Impact” of a design decision. The **technical impact** (Imp) roughly determines how amount of effort will be necessary to maintain properly a working application:

$$\$Imp = \frac{Nop * Xop * Of}{Aut}\$$$

The impact unit should be not far from some Energy measurement.

It can be modelized roughly as a function of increasing factors: Number of maintenance operations - Nop, complexitxy of operations - Xop, and probably an organisational factor that increases when both number and complexity grows. Organisational factor can include f.e. an increasing of the number of actors in the operations and the loss in coordination.

Opositely, there is one big factor that helps reducing the technical impact : Automation (Aut). The more automated you are (including also power tools, not necessary fully automated), the less the technical impact will be a trouble.

Now we can address the notion of “Trouble”. “Trouble” is a subjective notion, and wil not affect all actors the same way. Maintainers will have “Trouble” in having to maintain complex things and make it available for users. Users will be troubled in not having friendly enough or unefficiant tools,

stakeholders will be troubled to get informed and harassed that thing do NOT WORK well.

Now let propose a structural definition of the Trouble:

$$T_b = k * \frac{Imp}{\sum_{r=1}^n \{C_{U_i} * N_{U_i}\}}$$

Customscripts

Customscripts are a “soft” way to get over the moodle core limitations. Customscripting is a standard mechanism to get core code replaced by a customized version, WITHOUT interfering with core code from the official Git or distribution.

By defining a directory (often /customscripts) at moodle code's root (or outside) and adding a key:

```
$CFG->customscripts = '<moodlepath>/customscripts';
```

In your config file, then any request to a php script say: `https://<mymoodle>/a/b/c.php` that encounters an existing file named `/customscripts/a/b/c.php` will be derouted at end of the `setup.php` initialisation to that file, includes the file, then continue normal processing.

Customscripts MUST NOT include `config.php`, because it has already be done before routing to customscript.

By ending the customscript by a `die()` or `exit()`, the customscripted script REPLACES the standard behaviour.

Customscripts MUST NOT redefine classes, functions or any “compilation time definitions”, as the standard version has already be loaded into memory.

Good cases

Customscripts work fine when the change is very superficial, and resides in the moodle page itself (vs. a deeper library).

Less good cases

When the change is deeper, customscripting will force you to deroute deeper calls to derouted APIs, so the code path may need a lot of work to reach the changing point.

Too complicated derouting will lead to replacing a LOT of standard code. As the standard code is occulted in your Moodle, it will not reveal upgrades or bugfixes, so your replaced code will diverge slowly from moodle standard state of the art. this can be problematic.

Core patches

Core patches are the last extremity of overriding core code. All moodle developers are conscious that

patching **IS BAD**, but sometime are the only reasonable solution we have to make things work as they *should work*.

Core patches rais a real issu of middle term and long term maintenance, because upgrading a moodle instance results in a non trivial operation:

- **Trivial way (no patches):** Get the moodle Zip archive, unpack it, copy all other third party plugins in it. check third party compatibility level, and upgrade, and that's it.
- **Non trivial way (some patches):** Do the some way than trivial **PLUS** report all patchs from the previous code base to the new codebase.

and THIS can be the tough part, specially if:

- Patchs are **not documented**
- Patchs are **not properly tagged** and identified in the code
- There is **no tool** to help the process

Tracking patches and customscriptings needs in plugin design

[Back to general index](#)

From:

<https://docsen.activeprolearn.com/> - **Documentation Moodle ActiveProLearn**

Permanent link:

<https://docsen.activeprolearn.com/doku.php?id=start:overrides&rev=1770668549>

Last update: **2026/02/09 20:22**

