

Manage questions

Magtest multitrack test

Each magtest manages a set of question that needs collecting a score for each output category when the user answers.

the question list allows managing questions.


Programming questions will depend on the answer mode.

If *singlechoice* option is off, the student is proposed an assertion for each output category. The student will have to choose "one of" the available assertions as an answer. The weight of the answer will be added to its corresponding category score, and none to the other categories.

If *singlechoice* option is on, the student only has to answer "yes" or "no" (or click the answer checkbox). when a question is marked for answer, the weights of each answer is added to their respective category score tracks. If the question is not marked, no score will be added to any category track.











Adding a question

Once categories are defined, you may add questions to the magtest:



Add a question


Question Text

Paragraph B I          

Path: p


Question just ask you for the question sentence. You will then asked for same amount of answers of categories.

If *singlechoice* option is off, you need input a text for the answer and an optional helper.



In this case, the weight input may not be present if you didn't asked for weighting answers (the default). All scores are weighted to 1 by default.

If *singlechoice* option is on, you will just be asked for the weight (question score to add to category track), as no answer text is displayed for students.



Importing questions

You can import questions using a simple CSV file respecting the following format:

Question import format

Import file must be UTF8 encoded, separated with “;”, one question per line and have one first column for question text. Following example are given assuming 3 categories A, B, C have been defined.

If *singlechoice* options is on, next columns are weights (integer) for each category in category order.

Example:

```
this is a question 1;3;0;0  
this is a second question 2;0;4;0  
this is a third question 3;0;0;1
```

If *singlechoice* is off, next columns must feed in order : answer text, weight (1 if unweighted), and helptext for each category in order.

Example:

```
this is a question 1;answer;1;helper for answer 1;answer2;4;helper for  
answer 2;answer3;1;helper for answer 3
```

Deleting a question

[Return to user guide summary](#)

From:

<https://docsen.activeprolearn.com/> - **Documentation Moodle ActiveProLearn**

Permanent link:

<https://docsen.activeprolearn.com/doku.php?id=mod:magtest:createquestions&rev=1483229454>

Last update: **2026/01/13 07:58**

